

INTRODUCTION



Paslode has been driving change in timber construction since 1935. Over this time our brand has built an enviable reputation for delivering best-in-class nailing systems, often revolutionising construction methods, reducing labour time whilst increasing product reliability and on-site safety.

The Paslode delivery system is made up of 3 major components - the tool, nails and gas. Paslode manufacture all components to the highest quality, maintaining and guaranteeing performance only when all parts are used together.



EMPOWERING YOU WITH
THE COMPLETE SYSTEM

FRAMING NAILER

• THE EXPERT •



360Xi

The **360Xi** framing nailer is light and perfectly balanced to guarantee a great performance for multiple applications. A high performing lithium battery and a weatherproof fuel cell ensures the tool will run all day, every day no matter the challenge.

IDEAL USERS

Carpenter, Roofer or General Builder working on New Build projects such as large housing developments.

FEATURE

- Unbeatable power to weight ratio, the most powerful Paslode framing nailer: 105 Joules
- Light and perfectly balanced with a re-engineered grip and new battery position
- Quick release magazine
- Fast charging, high performing Lithium battery (200 shots in just 2 minutes)
- Cold weather performance
- Easy to use rotating depth of drive adjuster

BENEFIT

- Able to drive 90mm Ring Shank nails into the hardest substrates
- Ensures extra comfort and convenience with reduced fatigue, guaranteeing all day productivity
- Designed to eliminate nail jams
- Delivers up to 13,000 shots per charge, equates to over 5 nail fuel packs
- Allows user to work down to -15°C
- Allows optimal embedment of nails for a clean, flush finish

CONSUMABLES

- Requires Paslode 2.8 or 3.1mm RoundDrive® nails. Available in sizes from 51 - 90mm
- Smooth or Ring Shank nails are available

FRAMING NAILER

• THE 2-IN-1 •



COMBI Xi

The **COMBI Xi** is a compact, well-balanced tool with an intelligent fuel injection system which delivers true cold weather performance. Its revolutionary design makes it the world's first nailer capable of firing framing nails as well as hardened twist nails for metalwork applications.

IDEAL USERS

Carpenter, Roofer or General Builder working on New Build and Renovation projects predominantly fixing framing nails, but also with a secondary need to fix metal work connectors.

FEATURE

- 105 Joules of power
- World's first 2-in-1 Tool - All in one box
- Quick release magazines and nose pieces
- For Metalwork, 6 times faster than hand nailing, with nose probe self-locating for pinpoint accuracy
- Fast charging, high performing Lithium battery (200 shots in just 2 minutes)
- Cold weather performance
- Easy to use rotating depth of drive adjuster

BENEFIT


- Able to drive 51 - 90mm framing nails as well as hardened twist nails
- Less van space taken, everything you need in one case for Framing and Metalwork applications
- No tools required to change from Framing to Metalwork applications
- Nose probe self locates to allow pinpoint accuracy
- Reduces fatigue and personal injuries and allows for improved accessibility in hard-to-reach areas
- Delivers up to 13,000 shots per charge, equates to over 5 nail fuel packs
- Allows user to work down to -15°C
- Allows user to work down to -15°C

CONSUMABLES

- COMBI Xi requires Paslode 2.8 or 3.1mm RoundDrive® nails. Available in sizes from 51 - 90mm
- COMBI Xi requires Paslode ELECTRO GALV Hardened Twist nails. Available in 35 x 3.4mm

SPECIALIST NAILER

• THE SPECIALIST •



PPNXi

The **PPNXi** is the first positive placement nailer on the market, providing an efficient and safe way of installing hangers, brackets and straps. The innovative locator probe accurately delivers a hardened twist nail in the precise required location.

IDEAL USERS

Carpenters and Roofers working on-site, on both New Build and Renovation projects, fixing metal work connectors into wood.

FEATURE

- 77 Joules of power
- X6 faster than hand nailing the same applications
- Quick release magazines and nose pieces
- For Metalwork, 6 times faster than hand nailing, with nose probe self-locating for pinpoint accuracy
- Fast charging, high performing Lithium battery (200 shots in just 2 minutes)
- Cold weather performance

BENEFIT

- Power to drive Hardened Twist nails into hard wood
- Reduces fatigue and personal injuries from having to nail in awkward positions
- Difficult to reach areas can now be filled, improving accessibility and durability
- Designed to eliminate nail jams and maximise runtime for high volume operations
- Delivers up to 13,000 shots per charge, equates to over 5 nail fuel packs
- Allows user to work down to -15°C

CONSUMABLES

- ELECTRO GALV Hardened Twist nails available in 35 x 3.4mm size

FIXINGS

Selection guides for tools to the left.

360Xi & COMBI Xi NAIL SELECTION GUIDE

All Paslode framing nails are classified according to Eurocode 5 Service Class 1, 2 and 3 providing a suitable nail for every application

CORROSION REQUIREMENTS OUTLINED IN EC5

Service Class 1 INDOORS

Service Class 2 INDOORS NOT HEATED, OUTDOORS PROTECTED

Service Class 3 OUTDOORS, EXPOSED TO WEATHER

BRIGHT

ELECTRO GALV ≥ 12µm and GALV-PLUS® ≥ 15µm

HOT DIPPED GALVANISED ≥ 55µm

STAINLESS STEEL - A2 (AISI 304) & A4 (AISI 316)

All Paslode nails are hexavalent chromium, cadmium and lead free. Technical documentation available via the website - www.paslode.co.uk

APPROVALS

- European safety standard EN ISO1114-1 outlines the safe operation of Paslode tools. Only those fuel cells and consumables identified in the operating manual should be used
- Paslode 3.1 x 63mm Galvanised Plus M350+ / 360Xi Ring Shank nail will equal or better the performance of batten fixings outlined in the British Standard BS 5534

ELECTRO GALV ≥ 12µm

EN ISO1114-1 European Safety Standard

BS 5534 British Standard

PPNXi & COMBI Xi NAIL SELECTION GUIDE

NAIL SHANK TYPES

- RING SHANK:** Provides the highest withdrawal resistance. Fixing across the grain
- SMOOTH SHANK:** Offers high shear value and lowest withdrawal resistance. Fixing across the grain and into the grain.

NAIL SCREWS®

Revolutionary Paslode NailScrew® system which combines the speed of gas nailing with the simplicity of a screw. Six times faster than standard wood screws. Each box supplied with FREE T-bit. Available for IM45G & 360Xi in sizes 35 - 75mm.

ROOFING BATTEN NAIL

The Paslode Galv-Plus® 63 x 3.1mm Roof Batten Nails are proven to equal or better the performance requirements set out in BS 5534

Product Codes:

360Xi: 141073 (QTY 2200) - 141089 (QTY 1100)

IM350: 141221 (QTY 2200) - 141073 (QTY 1100)

ACCESSORIES

ALL TOOLS ACCESSORIES

DESCRIPTION	QTY	CODE
Ir-Car Charger Adaptor	1	909057
Impulse Cleaner 300ml	1	115151
Impulse Lubricating Oil	1	401482
Impulse Cleaner Kit	1	013690
Lithium Battery	1	011880
Lithium Battery Charger	1	010882

360Xi / IM350 ACCESSORIES

DESCRIPTION	QTY	CODE
ERIE Fuel Cell Starter Pack (Pack of 2)	1	303484
360Xi-Mo Cladding Probe	1	019783
IM350-Mo-Max Cladding Probe	1	013211

COMBI

DESCRIPTION	QTY	CODE

PPNXi / PPN350 ACCESSORIES

DESCRIPTION	QTY	CODE
ERIE Fuel Cell Starter Pack (Pack of 2)	1	303484
PPNXi PPN350 Probe Kit	1	014999

IM350 ACCESSORIES

DESCRIPTION	QTY	CODE
IM350 / IM350+ Standard Fuel Cell Starter Pack (Pack of 2)	1	303484
Non-Metal Contact Element Adaptor Kit (Bolt/Cleat Depth Drive)	1	012082

IM45G / IM45C ACCESSORIES

DESCRIPTION	QTY	CODE
IM45 Fuel Cell Starter Pack (Pack of 2)	1	575722

DO YOU KNOW?

The Paslode battery fast charging function allows you to charge your battery up to 200 shots in as little as 2 minutes!



FINE FINISHING NAILER FIXINGS & ACCESSORIES



IM50 F18

PRODUCT CODE:
013333

2.1 KG
WEIGHT

25J
OF POWER

IDEAL USERS

Metal Roofers working on residential and commercial projects. Also suitable for Carpenters working on cladding applications.



FEATURE



BENEFIT

- 25 Joules of power
- Ideal power ensures seamless fixes in all soft woods and dense MDF
- Optimum line of sight and no mar tip
- Enables user to increase accuracy in their fixings
- Depth of drive adjustment
- Guarantees a flawless finish
- Fast charging, high performing Lithium battery (200 shots in just 2 minutes)
- Delivers up to 10,000 shots per charge, equates to 5 Brad fuel packs



CONSUMABLES

- Thinner 18 gauge Brad for discreet fine finish nailing
- F18 straight brads available in sizes 16 - 50mm
- 1.2mm diameter Brad available in Electro galv White headed brads now available in 38mm & 50mm

← Selection guides for tool to the left.

IM50 F18 BRAD SELECTION GUIDE

NAIL	FUEL CELLS	QTY	CODE	APPLICATIONS								
				Dado rail	Architrave	Skirting	Beading	Door stop	Stairs	Door set	Hand rail	Panelling
F18 x 16mm	2	2000	395192									
F18 x 25mm	2	2000	395193									
F18 x 32mm	2	2000	395194									
F18 x 38mm	2	2000	395195	●	●	●						
F18 x 50mm	2	2000	395196	●	●	●						
F18 x 38mm - White	2	2000	575593	●	●	●						
F18 x 50mm - White	2	2000	575594	●	●	●						

● ELECTRO-GALV (INDOOR)

ALL TOOLS ACCESSORIES

DESCRIPTION	QTY	CODE
In-Car Charger Adaptor	1	900507
Impulse Cleaner 300ml	1	115251
Impulse Lubricating Oil	1	401482
Impulse/Pulsa Cleaning Kit	1	013690
Lithium Battery	1	018880
Lithium Battery Charger	1	018882

IM65 F16 ACCESSORIES

DESCRIPTION	QTY	CODE
Mini Fuel Cell Blister Pack Yellow (Pack of 2)	1	300341
IM65 Nose Tips	1	219236

IM65A F16 ACCESSORIES

DESCRIPTION	QTY	CODE
Mini Fuel Cell Blister Pack Yellow (Pack of 2)	1	300341
IM65A Nose Tip	1	902425

IM50 F18 ACCESSORIES

DESCRIPTION	QTY	CODE
Mini Fuel Cell Blister Pack Yellow (Pack of 2)	1	300341
IM50 Hard Contact Elements	1	901048
IM50 Soft Contact Element	1	901067



Paslode tools have a standard 2 year warranty, covering all components providing that Manufacturer's Operating Instructions have been followed, that no modifications have been made or non-original components or spare parts have been used, and that the tool has not been accidentally damaged or neglected.



SCAN TO DOWNLOAD



www.paslode.co.uk

1 Wheatstone Place, Southfield Industrial Estate
Glenrothes, Fife KY6 2SW

[Follow us @PaslodeUK](#)

Customer Services:
0800 833381

PRINT/5230/09.24

**SECOND FIX
POCKET
GUIDE**
QUICK GUIDE TO ALL PASLODE FIRST FIX PRODUCTS



INTRODUCTION



Paslode has been driving change in timber construction since 1935. Over this time our brand has built an enviable reputation for delivering best-in-class nailing systems, often revolutionising construction methods, reducing labour time whilst increasing product reliability and on-site safety.

The Paslode delivery system is made up of 3 major components - the tool, nails and gas. Paslode manufacture all components to the highest quality, maintaining and guaranteeing performance only when all parts are used together.



BENEFITS OF THE COMPLETE SYSTEM

Our finishing nailers offer a whole host of specially designed features that allow you to be faster to the finish and on to you next job in no time at all.



When using you Paslode tool with the complete system of Paslode fuel, battery and nails you get the peace of mind of over 40 years of innovation and development.

EMPOWERING YOU WITH THE COMPLETE SYSTEM

FINISHING NAILER



GAS STRAIGHT BRAD NAILER

IM65 F16

PRODUCT CODE:
916575

2.1 KG
WEIGHT

30J
OF POWER

IDEAL USERS

Carpenter or Joiner working on both New Build and Renovation projects.



FEATURE

- 30 Joules of power
- Lightest and best-balanced finish nailer
- Fast charging, high performing Lithium battery (200 shots in just 2 minutes)
- Easy Nail Jam clearing nose assembly with clear line of sight
- Minimum 25.000 shots before cleaning required



BENEFIT

- Optimum power ensures a flush finish in all soft woods and dense MDF
- Allows user to manoeuvre into tight spaces and work fatigue-free
- Delivers up to 10,000 shots per charge, equates to 5 brad fuel packs
- Provides easy access in the event of a jam, reduced downtime
- Work more productively for longer



CONSUMABLES

- Wide range of F16 brads available in Electro galv and Stainless Steel
- IM65 Straight F16 brads available in sizes 16 - 63mm
- Short brad kit accessory available separately to fix 16 - 25mm brads. Product Code: 013720

FINISHING NAILER



GAS ANGLED BRAD NAILER

IM65A F16

PRODUCT CODE:
916275

2 KG
WEIGHT

30J
OF POWER

IDEAL USERS

Carpenter or Joiner working on both New Build and Renovation projects.



FEATURE

- 30 Joules of power
- Distinctive angled magazine
- Lightest and best-balanced finish nailer
- Fast charging, high performing Lithium battery (200 shots in just 2 minutes)
- Easy Nail Jam clearing nose assembly with clear line of sight
- Minimum 25.000 shots before cleaning required



BENEFIT

- Optimum power ensures a flush finish in all soft woods and dense MDF
- Designed specifically for precision when working in corners and tight spaces
- Allows user to manoeuvre into tight spaces and work fatigue-free
- Delivers up to 10,000 shots per charge, equates to 5 brad fuel packs
- Provides easy access in the event of a jam, reduced downtime
- Work more productively for longer



CONSUMABLES

- Wide range of F16 brads available in Electro galv and Stainless Steel
- IM65A Angled F16 brads available in sizes 32 - 63mm
- White headed brads now available in 38mm & 50mm

FIXINGS

← Selection guides for tools to the left.

IM65 F16 BRAD SELECTION GUIDE

NAIL	FUEL CELLS	QTY	CODE	APPLICATIONS				
				Dado Rail	Architrave	Skirting	Beading	Door stop
F16 x 16mm	2	2000	921585				<input checked="" type="checkbox"/>	
F16 x 19mm	2	2000	921586		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
F16 x 25mm	2	2000	921587		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
F16 x 32mm	2	2000	921588		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
F16 x 38mm	2	2000	921589	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
F16 x 45mm	2	2000	921590	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
F16 x 50mm	2	2000	921591	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
F16 x 63mm	2	2000	921592	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
F16 x 25mm	2	2000	921593					<input checked="" type="checkbox"/>
F16 x 38mm	2	2000	921594					<input checked="" type="checkbox"/>
F16 x 50mm	2	2000	921595					<input checked="" type="checkbox"/>
F16 x 63mm	2	2000	921596					<input checked="" type="checkbox"/>

IM65A F16 BRAD SELECTION GUIDE

NAIL	FUEL CELLS	QTY	CODE	APPLICATIONS				
				Dado Rail	Architrave	Skirting	Beading	Door stop
F16 x 32mm	2	2000	300270	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
F16 x 38mm	2	2000	300271	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
F16 x 45mm	2	2000	300272					
F16 x 50mm	2	2000	300273	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
F16 x 63mm	2	2000	300274					
F16 x 38mm - White	2	2000	575589	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
F16 x 50mm - White	2	2000	575590	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
F16 x 32mm	2	2000	300276					<input checked="" type="checkbox"/>
F16 x 38mm	2	2000	300277					<input checked="" type="checkbox"/>
F16 x 50mm	2	2000	300279					<input checked="" type="checkbox"/>
F16 x 63mm	2	2000	300280					<input checked="" type="checkbox"/>

ELECTRO-GALV (INDOOR)
STAINLESS STEEL A2-304 (OUTDOOR)

DID YOU KNOW:
1 lithium battery is compatible for 7 Paslode tools.
Product Code: 018880

